A THE

Notice of Allowability	Application No.	Applicant(s)	
	10/789,755	YAMABUCHI ET AL.	
	Examiner	Art Unit	
	Phu Vu	2871	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>9/20/2006</u> .			
2. The allowed claim(s) is/are <u>1</u> .			
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority una)  All b)  Some* c)  None of the: <ol> <li>Certified copies of the priority documents have</li> <li>Certified copies of the priority documents have</li> <li>Copies of the certified copies of the priority documents have</li> </ol> </li> <li>Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).</li> </ul> <li>* Certified copies not received:</li>	been received. been received in Application No		tion from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
<ol> <li>CORRECTED DRAWINGS ( as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers         <ol> <li>1) ☐ hereto or 2) ☐ to Paper No./Mail Date</li> <li>(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date</li> </ol> </li> <li>Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the state of the property of the paper No.</li> </ol>	on's Patent Drawing Review (PTO-S s Amendment / Comment or in the O 84(c)) should be written on the drawin	ffice action of	· • back) of
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 2/27/04; 6/9/2006  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material  Supe	5. Notice of Informal Pa 6. Interview Summary of Paper No./Mail Date 7. Examiner's Amendm 8. Examiner's Stateme 9. Other David Nelms rvisory Patent Examiner Shnology Center 2800	(PTO-413), e nent/Comment	· owance

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with William Daley on December 13, 2006.

The application has been amended as follows: Claims 14-21 are cancelled.

The title has been changed to "Liquid crystal display with polarizer with inclined edge portion."

## Election/Restrictions

The following is an examiner's statement of reasons for allowance: Regarding claim 1, there is no prior art of record that teaches a liquid crystal panel comprising: "a polarizing plate stuck on at least one of said first and second substrates at a surface opposite said liquid crystal layer, said polarizing plate having an end receding from an end of one substrate and having a surface with an inclination."

The prior art of record Takeshi as previously cited discloses a method of cutting a polarizer using a half blanking technique, which used a blade slightly similar to that

Art Unit: 2871

shown in the invention however the prior art failed to show that this would result in a polarizer having edge portions that are inclined..

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phu Vu whose telephone number is (571)-272-1562. The examiner can normally be reached on 8AM-5PM M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on (571)-272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Page 4

Phu Vu Examiner AU 2871

David Nelms
Supervisory Patramananiner

Technology, Lemma 2800